

No 1442



Safety Data Sheet Sanichlor Tablets 1.1g REV. DATE 6/04

Product name and/or code:	Sanichlor Tablets 1.1g	Intended Use: Cleaning and disinfection
Name & address of Company:	Ecobal Ltd., David Murray John Building SWINDON Wiltshire SN1 1NH	Emergency phone no.: 01793 511221

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances presenting a health hazard within the meaning of EEC Directive 91/155.

Product name	CAS No	EINECS	Conc. Range	R phrases	Symbol	MEL/OES
Trosclose Sodium	2893-78-9	220-767-7	45% w/w	8, 22, 31, 36/37,50/53	O, Xn, N	OES
Adipic Acid	124-04-9	204-673-3	20-50% w/w	36	Xi	-

3. HAZARDS IDENTIFICATION OF THE PREPARATION

HARMFUL

On contact with moisture, NaDCC readily decomposes to Chlorine, Hypochlorous Acid & Cyanuric Acid. Health Effects of Tablet (NOT resultant solution)

Effect on Skin:	It may cause some irritation
Effect on Eyes:	Irritation and burning
Effect on Ingestion:	Harmful if swallowed. Nausea, headache, vomiting & upper abdominal pain.
Effect On Inhalation	Unlikely route of exposure unless tablet breaks into powder, then material may be irritant to mucous membranes

4. FIRST AID MEASURES

Eye Contact:	Immediately flush with plenty of clean water for at least 15 minutes. If irritation persists, seek medical attention.
Skin Contact:	Promptly wash thoroughly with water for at least 15 minutes while removing contaminated clothing. Wash any contaminated clothing well before re-use.
Ingestion:	Immediately rinse mouth, then drink plenty of water or milk. Do not induce vomiting. Seek medical attention.
Inhalation:	Move to fresh air. If irritation persists, seek medical attention.

5. FIRE-FIGHTING MEASURES

Special Fire or Explosion Hazards

Product combustible if dehydrated by drying. Decomposes above 250°C with release of chlorine & other toxic fumes.

A thermal decomposition can be extinguished by flooding with copious amounts of water or by isolating the decomposing material in open air and allowing it to be consumed. Use self-contained breathing apparatus and goggles. Do not approach from leeward.

Suitable Extinguishing Media: Pressurised water or dry powder. Do not use dry fire extinguishers containing ammonium compounds.

Other Recommendations: Remove the product if it is safe to do so, before using water for fire fighting, in order to minimise hazards from release of toxic fumes. It will often be safer to let the fire burn itself out. Where it is decided to fight the fire with water, large quantities must be used. If insufficient water is used there may be an explosion hazard associated with hot damp material. NaDCC may generate nitrogen trichloride when is left under dump conditions.

6. ACCIDENTAL RELEASE MEASURES.

Any spillages should be cleaned up as soon as possible to prevent contamination with foreign materials with which it may react - see section 10, stability and reactivity.

Handle spillage carefully; do not return spilled material to original container. **If tablets are dry and uncontaminated**, collect up into heavy-duty plastic bag; where possible and suitable, use material as originally intended. Wash away any residues with copious amounts of water.

If tablets are contaminated they should be transferred to waste ground, spread thinly and covered with a thin layer of earth; a smell of chlorine will be noted until the material has degraded. Keep people, vehicles and animals away from the disposal area.

If tablets become damp they will effervesce, evolving carbon dioxide and may decompose to give off chlorine fumes; transfer spillage to unsealed plastic bags avoiding any large masses of material within the bags and remove to waste ground for immediate treatment/disposal as above; avoid breathing fumes. Wash away residues with copious amounts of water.

If spillage of tablets is large (more than 100Kg), place into bins lined with polythene bags and eliminate in accordance with locally valid disposal regulations

7. HANDLING AND STORAGE.

Recommended Storage Conditions

Store away from all incompatibles and combustibles (see section 10). Store in a cool, dry, well ventilated place. Moisture sensitive. Avoid high humidity levels. Do not allow water to get into container. Keep away from fire, heat, flame & direct sunlight. Keep container tightly closed. Keep out of reach of children. Never store damp or contaminated material.

Recommended Handling Precautions

Avoid contact with eyes, skin & clothing.

When handling large quantities of tablets, wear chemical resistant gloves and safety goggles.

Avoid breathing any dust.

Wash thoroughly after handling.

Use protective equipment recommended in section 8.

Do not eat, drink or smoke when handling this material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits (EH40/2002):	Long Term Exposure Limit to Chlorine – (8 hours TWA)	0.5ppm	1.5mgm ⁻³
	Short Term Exposure Limit to Chlorine – (10 minutes)	1ppm	2.9mgm ⁻³

Respiratory Protection:	Where any dust in the breathing zone cannot be controlled with ventilation, wear an officially approved respirator (NIOSH/MSHA or equivalent agency) for protection against airborne dust.		
Ventilation:	Use local exhaust ventilation where appropriate		
Eye Protection:	If airborne dust concentrations are high, wear appropriate protective goggles. Wash eyes with clean water where there is potential eye contact.		
Skin Protection:	When handling large bulk quantities wear protective gloves. Wash immediately if skin is contaminated. Remove and wash contaminated clothing and clean up equipment before re-use. Wash thoroughly with soap and water after handling		
9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	White flat bevelled tablet		
Odour:	Characteristic Chlorine Odour		
pH:	As is - not applicable		
pH:	In solution - 5.0 - 6.0 approx.		
Solubility:	Freely soluble		
Oxidising Properties:	Non oxidising		
Flash Point:	Not flashing		
Flammability:	Not flammable		
Autoflammability:	Not autoflammable		
Explosion Properties:	Not explosive		
10. STABILITY AND REACTIVITY			
Conditions to Avoid Do not store on or near heat sources or naked flame. Avoid moisture. NaDCC decomposes at temperatures above 240°C liberating toxic gases.			
Materials to Avoid Contact with water liberates chlorine and with nitrogen compounds may cause explosion. Avoid organic materials, oils, grease, sawdust, reducing agents, nitrogen containing compounds, calcium hypochlorite, other oxidizers, acids, alkalis, cationic and certain non-ionic surfactants.			
11. TOXICOLOGICAL INFORMATION			
Route of entry: Inhalation, skin contact & ingestion.			
Inhalation of NaDCC is irritating to the nose, mouth, throat and lungs.			
Ingestion of NaDCC can cause irritation and or burns to the gastrointestinal tract.			
Skin & Eye Contact: with NaDCC can cause severe irritation and/or burns, characterized by redness, swelling and scab formation. May cause impairment of vision and corneal damage.			
Toxicological Data: NaDCC			
Acute toxicity			
Oral LD50 (rat)	ca. 1825mg/kg		
Eye Irritation (rabbit)	Severe irritant		
Rabbit dermal LD50	>20,000mg/kg		
Carcinogenicity This chemical is not considered to be carcinogenic by any reference source.			
12. ECOLOGICAL INFORMATION			
NaDCC is highly toxic to fish. Do not discharge into lakes, ponds, streams or public water unless in accordance with the permit of official regulations.			
13. DISPOSAL CONSIDERATIONS			
Disposal should be done in accordance with all official regulations. If material is dry, incineration is recommended.			
14. TRANSPORT INFORMATION			
Keep container strictly dry			
Keep away from FIRE, HEAT, FLAME & DIRECT SUNLIGHT. Keep out of reach of children			
UN Number:			
Packing Group:			
IMDG Code:			
IMDG Page:			
ADR/RID:			
ICAO/IATA:			
15. REGULATORY INFORMATION			
Label for supply:	HARMFUL		
Risk Phrases:			
	R22	Harmful if swallowed	
	R31	Contact with acids liberates toxic gas	
	R36/37	Irritating to eyes and respiratory system	
Safety Phrases:			
	S8	Keep container dry	
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	
	S41	In case of fire and/or explosion do not breathe fumes	
	S50	Do not mix with other chemicals	
Regulatory References:	The Chemicals (Hazard Information & Packaging) Regulations 2002		
16. OTHER INFORMATION			
Full test Risk phrases (section 2): 50/53 Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.			
Change from previous revision: section 5 updated.			
The information herein is based on data considered to be accurate as of the date of preparation of the Material Safety Data Sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.			



HARMFUL