



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Taski Sprint 200 J-flex

Revision: 2014-02-06

Version: 04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Sprint 200 J-flex

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P301 - General purpose cleaner. Manual process

AISE-P302 - General purpose cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Ltd

Contact details

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product does not meet the criteria for classification in accordance with Directive 1999/45/EC and corresponding national legislation.

2.2 Label elements

Further indications on the label:

Rinse and dry hands after use. For prolonged contact, protection for the skin may be necessary.

Safety data sheet available for professional user on request.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (EC) 1272/2008	Notes	Weight percent
ethanol	200-578-6	64-17-5	No data available	F;R11	Flam. Liq. 2 (H225)		10-20
sulphonic acids, C13-17-sec-alkane, sodium salts	288-330-3	85711-69-9	No data available	Xi;R38-41	Eye Dam. 1 (H318) Skin Irrit. 2 (H315)		3-10
alkyl alcohol alkoxylate	Polymer*	196823-11-7	[4]	Xi;R36/38	Eye Irrit. 2 (H319)		3-10

Taski Sprint 200 J-flex

* Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove from source of exposure. If discomfort persists, obtain medical attention.

Skin contact:

Not required under normal use. Rinse with plenty of water. If irritation develops get medical attention.

Eye contact:

Wash off immediately with plenty of water. Get medical attention.

Ingestion:

Remove material from mouth. Immediately drink 1-2 glasses of water or milk. If large amounts swallowed or symptoms develop, get medical attention.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

Unlikely to be irritant or harmful in normal use.

Skin contact:

Unlikely to be irritant in normal use.

Eye contact:

Unlikely to be irritant in normal use.

Ingestion:

Unlikely to be harmful unless excessive amount ingested.

Sensitisation:

No known effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey. For advice on general occupational hygiene see subsection 8.2. For environmental exposure controls see subsection 8.2. For incompatible materials see subsection 10.5.

Prevention of fire and explosion:

No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms / facilities:

In accordance with local and national regulations.

Combined storage in storage rooms / facilities:

In accordance with local and national regulations. For incompatible materials see subsection 10.5.

Basic storage conditions

Taski Sprint 200 J-flex

Store in original container. For conditions to avoid see subsection 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
ethanol	1000 ppm 1920 mg/m ³	3000 ppm 5760 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
ethanol	No data available	No data available	No data available	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available	No data available	No data available	No data available
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

8.2 Exposure controls

General health and safety measures

Taski Sprint 200 J-flex

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 2

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Blue
Odour: Slightly perfumed
Odour threshold: Not applicable
pH: ≈ 6 (neat)
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
ethanol	78.4	Method not given	
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available		
alkyl alcohol alkoxylate	No data available		

Method / remark

Flash point (°C): ≈ 37
Sustained combustion: This product with a flashpoint between 21°C and 60°C does not support combustion
Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability limit (%): Not determined

closed cup
 UN Manual of Tests and Criteria, section 32, L.2

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
ethanol	5800	Method not given	

Taski Sprint 200 J-flex

sulphonic acids, C13-17-sec-alkane, sodium salts	No data available		
alkyl alcohol alkoxylate	No data available		

Method / remark

Vapour density: Not determined

Relative density: 0.99 g/cm³ (20°C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
ethanol	No data available		
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available		
alkyl alcohol alkoxylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals

(according to IMDG/ADR regulation): Not determined

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixtures

No test data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD ₅₀	5000	Rat	OECD 401 (EU B.1)	
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD ₅₀	> 10000	Rabbit	OECD 402 (EU B.3)	
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			

Taski Sprint 200 J-flex

alkyl alcohol alkoxylate		No data available			
--------------------------	--	-------------------	--	--	--

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC ₅₀	> 1800	Rat	Non guideline test	4
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Taski Sprint 200 J-flex

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
ethanol			No data available					
sulphonic acids, C13-17-sec-alkane, sodium salts			No data available					
alkyl alcohol alkoxylate			No data available					

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture data:

Based on available data, the classification criteria are not met.

Substance data, where relevant and available:

Carcinogenicity

Ingredient(s)	Effect
ethanol	No data available
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available
alkyl alcohol alkoxylate	No data available

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
ethanol	No data available		No data available	
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available		No data available	
alkyl alcohol alkoxylate	No data available		No data available	

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
ethanol			No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts			No data available				
alkyl alcohol alkoxylate			No data available				

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

Mixtures

No test data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC ₅₀	8150	Alburnus alburnus	Method not given	96
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC ₅₀	9268 - 14221	Daphnia magna Straus	Method not given	48
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

Taski Sprint 200 J-flex

ethanol	EC ₀	5000	Scenedesmus quadricauda	Method not given	168
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
ethanol		No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanol	EC ₀	6500	Pseudomonas putida	Method not given	16 hour(s)
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available			
alkyl alcohol alkoxylate		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
ethanol		No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts		No data available				
alkyl alcohol alkoxylate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Taski Sprint 200 J-flex

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
ethanol					No data available
sulphonic acids, C13-17-sec-alkane, sodium salts					No data available
alkyl alcohol alkoxylate					No data available

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
ethanol	No data available			
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available			
alkyl alcohol alkoxylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
ethanol	No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available				
alkyl alcohol alkoxylate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
ethanol	No data available				
sulphonic acids, C13-17-sec-alkane, sodium salts	No data available				
alkyl alcohol alkoxylate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
20 01 30 - detergents other than those mentioned in 20 01 29.

European Waste Catalogue:

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

Class: -

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants

< 5%

perfumes, Linalool, Amyl Cinnamal, Butylphenyl Methylpropional

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

MSDS code: MSDS4949

Version: 04

Revision: 2014-02-06

Reason for revision:

Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3:

- R41 - Risk of serious damage to eyes.
- R38 - Irritating to skin.
- R10 - Flammable.
- R36/38 - Irritating to eyes and skin.
- H225 - Highly flammable liquid and vapour.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet