



SAFETY DATA SHEET

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1
Product number	800-272-0005 A1
Container size	5 litres

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. Glass cleaner.
Uses advised against	Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Coventry Chemicals (Ireland) Limited 4th Floor 8-34 Percy Place Dublin 4 Ireland Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com
----------	--

Contact person	For content of safety data sheet:, sds@mirius.com
----------------	---

1.4. Emergency telephone number

Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
---------------------	---

National emergency telephone number	UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)
-------------------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Not Classified

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements

P102 Keep out of reach of children.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash contaminated skin thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Detergent labelling < 5% aliphatic hydrocarbons

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL		1-5%
CAS number: 64-17-5		EC number: 200-578-6
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		
METHANOL		<1%
CAS number: 67-56-1		EC number: 200-659-6
Classification Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370		Classification (67/548/EEC or 1999/45/EC) F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	The product is considered to be a low hazard under normal conditions of use.
Inhalation	The product is considered to be a low hazard under normal conditions of use. Abusive inhalation may cause irritation, remove to fresh air.
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

Usage precautions	Provide adequate ventilation. Avoid contact with skin and eyes. Do not mix with other chemicals or detergents.
Advice on general occupational hygiene	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
----------------------------	---

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

ETHANOL (CAS: 64-17-5)

DNEL

Workers - Inhalation; Long term systemic effects: 950 mg/m³
 Workers - Inhalation; Short term local effects: 1900 mg/m³
 Workers - Dermal; Long term systemic effects: 343 mg/kg
 General population - Inhalation; Long term systemic effects: 114 mg/m³
 General population - Inhalation; Short term local effects: 950 mg/m³
 General population - Dermal; Long term systemic effects: 206 mg/kg/day
 General population - Oral; Long term systemic effects: 87 mg/kg/day

PNEC

- Fresh water; 0.96 mg/l
 - marine water; 0.79 mg/l
 - Intermittent release; 2.75 mg/l
 - STP; 580 mg/l
 - Sediment (Freshwater); 3.6 mg/kg
 - Sediment (Marinewater); 2.9 mg/kg
 - Soil; 0.63 mg/kg

METHANOL (CAS: 67-56-1)

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

DNEL

Workers - Inhalation; Long term systemic effects: 130 mg/m³
 Workers - Inhalation; Long term local effects: 130 mg/m³
 Workers - Inhalation; Short term systemic effects: 130 mg/m³
 Workers - Inhalation; Short term local effects: 130 mg/m³
 Workers - Dermal; Long term systemic effects: 20 mg/kg/day
 Workers - Dermal; Short term systemic effects: 20 mg/kg/day
 General population - Inhalation; Long term systemic effects: 26 mg/m³
 General population - Inhalation; Short term systemic effects: 26 mg/m³
 General population - Inhalation; Long term local effects: 26 mg/m³
 General population - Inhalation; Short term local effects: 26 mg/m³
 General population - Dermal; Long term systemic effects: 4 mg/kg/day
 General population - Dermal; Short term systemic effects: 4 mg/kg/day
 General population - Oral; Long term systemic effects: 4 mg/kg/day
 General population - Oral; Short term systemic effects: 4 mg/kg/day

PNEC

Fresh water; 20.8 mg/l
 marine water; 2.08 mg/l
 STP; 100 mg/l
 Sediment (Freshwater); 77 mg/kg
 Sediment (Marinewater); 7.7 mg/kg
 Soil; 100 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Personal protection

Data provided here is not a risk/COSHH assessment. It relates to the product as supplied and should be used in developing a risk/COSHH assessment.

Eye/face protection

No specific eye protection required during normal use.

Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Slight alcoholic.
Odour threshold	Not determined.

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

pH	pH (concentrated solution): 9.0 typically
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not flammable. This product does not sustain combustion.
Upper/lower flammability or explosive limits	Product is not considered to be flammable nor explosive
Other flammability	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not determined.
Relative density	1.000 typically @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Water thin.
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not relevant.
Volatile organic compound	This product contains a maximum VOC content of 1.1 g/100 g.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable.
------------------------------------	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 45,454.55

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 100,000.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 1,000.0

ATE inhalation (dusts/mists mg/l) 136.36

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

General information	This product has low toxicity.
Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties	This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).
11.2.2 Other information	None known

SECTION 12: Ecological information

Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.
--------------------	--

12.1. Toxicity

Toxicity	Not considered toxic to fish.
-----------------	-------------------------------

12.2. Persistence and degradability

Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).
--------------------------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not technically possible for a mixture.

12.4. Mobility in soil

Mobility	The product is water-soluble and may spread in water systems.
-----------------	---

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
---	---

12.6. Endocrine disrupting properties

Endocrine disrupting properties	This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).
--	--

12.6. Other adverse effects

Other adverse effects	None known.
------------------------------	-------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible.
----------------------------	---

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.
-------------------------	--

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). EH40/2005 Workplace exposure limits. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended). The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended). The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended) European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). European Regulation (EC) No 648/2004 on detergents (as amended). Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

5L SUPER PROFESSIONAL READY TO USE SCREENWASH A1

Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.
-----------------	--

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Review with no changes to classification Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.
Revision date	22/01/2024
Revision	6
Supersedes date	20/06/2023
SDS number	20621
Hazard statements in full	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----