

SAFETY DATA SHEET

Page 1 of 3

C8 CLEAN - GLASS CLEANER Data Sheet No. C8/WH

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name C8 CLEAN - GLASS CLEANER
Data Sheet No. C8/WH

Company Winterhalter Limited
Winterhalter House
Roebuck Way
Knowlhill
Milton Keynes
MK5 8WH

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Ethanol	1-10%	64-17-5	200-578-6	F; R11
Alkoxy Ether Alcohol (2-(2-Butoxyethoxy) ethanol)	1-10%	112-34-5		Xi; R36

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

C8 CLEAN - GLASS CLEANER

Data Sheet No. C8/WH

Revision 0
Revision date

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Ethanol	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: -
Alkoxy Ether Alcohol (2-(2-Butoxyethoxy) ethanol)	WEL 8-hr limit ppm: 10 WEL 15 min limit ppm: 15	WEL 8-hr limit mg/m3: 67.5 WEL 15 min limit mg/m3: 101.2

Engineering measures	Ensure adequate ventilation of the working area.
Hand protection	Chemical resistant gloves (PVC)
Eye protection	In case of splashing, wear: Approved safety goggles.
Protective equipment	Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Blue.
Odour	Alcoholic.
Boiling point	100°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat. Direct sunlight. Do NOT allow to freeze.

11. TOXICOLOGICAL INFORMATION

Toxicological information	No Significant Hazard.
----------------------------------	------------------------

12. ECOLOGICAL INFORMATION

Further information	Do not allow product to enter drains.
----------------------------	---------------------------------------

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
----------------------------	---

14. TRANSPORT INFORMATION

Further information	The product is not classified as dangerous for carriage.
----------------------------	--

15. REGULATORY INFORMATION

Risk phrases	NSH - No Significant Hazard.
Safety phrases	S2 - Keep out of the reach of children. S24/25 - Avoid contact with skin and eyes.

C8 CLEAN - GLASS CLEANER

Data Sheet No. C8/WH

Revision 0
Revision date

16. OTHER INFORMATION

**Text of risk phrases in
Section 3.**

R11 - Highly flammable.
R36 - Irritating to eyes.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.