

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TORK Antimicrobial Foam Soap

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Skin cleansers

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SCA Hygiene Products UK Ltd
Southfields Road
LU6 3EJ Dunstable - United Kingdom
T +441582677879
charlotte.branwhite@sca.com - www.sca.com

1.4. Emergency telephone number

Emergency number : +46317460000 (business hours)
112 (24 hour service) – applicable to EU countries only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Not regarded as a health or environmental hazard under current legislation. Product does not present any health risks, when used as recommended.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Warning
Hazard statements (CLP) : H226 - Flammable liquid and vapour
Precautionary statements (CLP) : P102 - Keep out of reach of children
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed
P370+P378 - In case of fire: Use water for extinction
P501 - Dispose of contents/container to appropriate waste handling in accordance with local regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	30 - 40	F; R11
MIPA Laureth Sulfate	(CAS No) 83016-76-6 (EC no) Not applicable	1 - 5	Xi; R36/38
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	< 5	F; R11 Xi; R36 R67
Citric acid	(CAS No) 77-92-9 (EC no) 201-069-1	< 1	Xi; R36

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	30 - 40	Flam. Liq. 2, H225
MIPA Laureth Sulfate	(CAS No) 83016-76-6 (EC no) Not applicable	1 - 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	< 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Citric acid	(CAS No) 77-92-9 (EC no) 201-069-1	< 1	Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air. In case of breathing difficulties administer oxygen. If breathing stops, give artificial respiration. If exposure symptoms persist, seek medical advice.
- First-aid measures after skin contact : If skin irritation persists, seek medical attention.
- First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Never give anything by mouth to an unconscious person. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : No data available.
- Symptoms/injuries after eye contact : No data available.
- Symptoms/injuries after ingestion : On ingestion in large quantities : nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Powder. Foam. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid. On combustion forms: carbon oxides (CO and CO₂). Nitrogen oxides (NO_x).

5.3. Advice for firefighters

- Protective equipment for firefighters : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Refer to section 8.
- Emergency procedures : Evacuate unnecessary personnel. Keep upwind.

6.1.2. For emergency responders

- Protective equipment : Refer to section 8.
- Emergency procedures : Keep upwind of the spilled material and isolate exposure. Eliminate all ignition sources if safe to do so. Eliminate leaks immediately.

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.2. Environmental precautions

Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small spillages: wipe away or flush away with water. Large spills: Depending on the local regulations it may be disposed of as solid waste or incinerated in a suitable installation.

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only in well-ventilated areas. Avoid contact with skin and eyes. If spilled, may cause the floor to be slippery. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. In order to rule out potential electrostatic discharge production, the system must be adequately grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container closed when not in use. Do not re-use empty containers.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practices. Do not eat, drink or smoke when using this product. Wash contaminated clothing prior to re-use. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Expiry Date: 36 months after production date.

Storage conditions : Avoid high temperatures. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Store in tightly closed, leak-proof containers.

Storage temperature : ≤ 30

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol (67-63-0)		
Austria	MAK (mg/m ³)	500 mg/m ³
Austria	MAK (ppm)	200 ppm
Austria	MAK Short time value (mg/m ³)	2000 mg/m ³ max. 4x15 min./Schicht
Austria	MAK Short time value (ppm)	800 ppm max. 4x15 min./Schicht
Belgium	Limit value (mg/m ³)	997 mg/m ³
Belgium	Limit value (ppm)	400 ppm
Belgium	Short time value (mg/m ³)	1248 mg/m ³
Belgium	Short time value (ppm)	500 ppm
Bulgaria	OEL TWA (mg/m ³)	980 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	1225 mg/m ³
Cyprus	OEL TWA (mg/m ³)	980 mg/m ³
Cyprus	OEL TWA (ppm)	400 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	500 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	203,5 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	1000 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	407 ppm
Czech Republic	Remark (CZ)	D
Denmark	Grænseværdie (langvarig) (mg/m ³)	490 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm
Denmark	Grænseværdie (kortvarig) (mg/m ³)	980 mg/m ³
Denmark	Grænseværdie (kortvarig) (ppm)	400 ppm
Estonia	OEL TWA (mg/m ³)	350 mg/m ³
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m ³)	600 mg/m ³
Estonia	OEL STEL (ppm)	250 ppm
Finland	HTP-arvo (8h) (mg/m ³)	500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	200 ppm

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

propan-2-ol (67-63-0)		
Finland	HTP-arvo (15 min)	620 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm
France	VLE (mg/m ³)	980 mg/m ³
France	VLE (ppm)	400 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	500 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	200 ppm
Germany	TRGS 903 (BGW)	50 mg/l Aceton (Blut; Expositionsende bzw. Schichtende)
Greece	OEL TWA (mg/m ³)	980 mg/m ³
Greece	OEL TWA (ppm)	400 ppm
Greece	OEL STEL (mg/m ³)	1225 mg/m ³
Greece	OEL STEL (ppm)	500 ppm
Hungary	AK-érték	500 mg/m ³
Hungary	CK-érték	2000 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Ireland	Notes (IE)	Sk
Latvia	OEL TWA (mg/m ³)	350 mg/m ³
Lithuania	IPRV (mg/m ³)	350 mg/m ³
Lithuania	IPRV (ppm)	150 ppm
Lithuania	TPRV (mg/m ³)	600 mg/m ³
Lithuania	TPRV (ppm)	250 ppm
Netherlands	MAC TGG 8H (mg/m ³)	650 mg/m ³
Netherlands	MAC TGG 8H (ppm)	250 ppm
Poland	NDS (mg/m ³)	900 mg/m ³
Poland	NDSch (mg/m ³)	1200 mg/m ³
Romania	OEL TWA (mg/m ³)	200 mg/m ³
Romania	OEL TWA (ppm)	81 ppm
Romania	OEL STEL (mg/m ³)	500 mg/m ³
Romania	OEL STEL (ppm)	203 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	500 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	200 ppm
Slovakia	Upozornenie (SK)	krátkodobý kategória II.
Slovenia	OEL TWA (mg/m ³)	500 mg/m ³
Slovenia	OEL TWA (ppm)	200 ppm
Spain	VLA-ED (mg/m ³)	998 mg/m ³
Spain	VLA-ED (ppm)	400 ppm
Spain	VLA-EC (mg/m ³)	1250 mg/m ³
Spain	VLA-EC (ppm)	500 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	350 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	600 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	250 ppm
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	245 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	100 ppm
Switzerland	VME (mg/m ³)	500 mg/m ³
Switzerland	VME (ppm)	200 ppm
Switzerland	VLE (mg/m ³)	1000 mg/m ³ max. 4x15 min./Schicht
Switzerland	VLE (ppm)	400 ppm max. 4x15 min./Schicht

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

propan-2-ol (67-63-0)		
Australia	TWA (mg/m ³)	999 mg/m ³
Australia	TWA (ppm)	400 ppm
Australia	STEL (mg/m ³)	1250 mg/m ³
Australia	STEL (ppm)	500 ppm
Canada (Quebec)	VECD (mg/m ³)	1230 mg/m ³
Canada (Quebec)	VECD (ppm)	500 ppm
Canada (Quebec)	VEMP (mg/m ³)	983 mg/m ³
Canada (Quebec)	VEMP (ppm)	400 ppm
USA - ACGIH	ACGIH TWA (mg/m ³)	490 mg/m ³
USA - ACGIH	ACGIH TWA (ppm)	200 ppm
USA - ACGIH	ACGIH STEL (mg/m ³)	960 mg/m ³
USA - ACGIH	ACGIH STEL (ppm)	400 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	980 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³
USA - NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	400 ppm
Ethanol (64-17-5)		
Austria	MAK (mg/m ³)	1900 mg/m ³
Austria	MAK (ppm)	1000 ppm
Austria	OEL - Ceilings (mg/m ³)	3800 mg/m ³
Austria	OEL - Ceilings (ppm)	2000 ppm
Belgium	Limit value (mg/m ³)	1907 mg/m ³
Belgium	Limit value (ppm)	1000 ppm
Bulgaria	OEL TWA (mg/m ³)	1000 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	3000 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	1900 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m ³)	1000 mg/m ³
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m ³)	1900 mg/m ³
Estonia	OEL STEL (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1900 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
France	VME (mg/m ³)	1900 mg/m ³
France	VME (ppm)	1000 ppm
France	VLE (mg/m ³)	9500 mg/m ³
France	VLE (ppm)	5000 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	960 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	500 ppm
Greece	OEL TWA (mg/m ³)	1900 mg/m ³
Greece	OEL TWA (ppm)	1000 ppm
Hungary	AK-érték	1900 mg/m ³
Hungary	CK-érték	7600 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	1900 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Latvia	OEL TWA (mg/m ³)	1000 mg/m ³
Netherlands	MAC TGG 8H (mg/m ³)	260 mg/m ³
Netherlands	MAC TGG 15MIN (mg/m ³)	1900 mg/m ³
Poland	NDS (mg/m ³)	1900 mg/m ³

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ethanol (64-17-5)		
Romania	OEL TWA (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (ppm)	1000 ppm
Romania	OEL STEL (mg/m ³)	9500 mg/m ³
Romania	OEL STEL (ppm)	5000 ppm
Slovenia	OEL TWA (mg/m ³)	1900 mg/m ³
Slovenia	OEL TWA (ppm)	1000 ppm
Spain	VLA-ED (mg/m ³)	1910 mg/m ³
Spain	VLA-ED (ppm)	1000 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	1000 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	1900 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	950 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	500 ppm
Switzerland	VME (mg/m ³)	960 mg/m ³
Switzerland	VME (ppm)	500 ppm
Switzerland	VLE (mg/m ³)	1920 mg/m ³
Switzerland	VLE (ppm)	1000 ppm
Australia	TWA (mg/m ³)	1880 mg/m ³
Australia	TWA (ppm)	1000 ppm
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm

8.2. Exposure controls

Appropriate engineering controls

: not applicable.

Personal protective equipment

: Insufficient ventilation: wear respiratory protection. Protective goggles. Gloves.



Hand protection

: Protective gloves made of PVC.

Eye protection

: Chemical goggles or face shield.

Respiratory protection

: Wear appropriate mask. Approved organic vapour respirator.

Environmental exposure controls

: not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: colourless to yellow.
odour	: alcohol odour.
Odour threshold	: No data available
pH	: ~ 5,5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 28 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ~ 0,935 g/cm ³
Solubility	: soluble in water.

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Other properties	: Flammable liquids. Foam.
------------------	----------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Do not expose to heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
	Not known or expected to be harmful to health in normal use.
	Finished product has not been tested on animals.

propan-2-ol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rat	16,4 ml/kg
LC50 inhalation rat (ppm)	> 10000 ppm
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
ATE (oral)	10470,000 mg/kg
Citric acid (77-92-9)	
LD50 dermal rat	> 2000 mg/kg 24 hours

Skin corrosion/irritation	: Not classified
	Not irritating
	pH: ~ 5,5
Serious eye damage/irritation	: Not classified
	pH: ~ 5,5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Ecological problems are not known or expected under normal use.
-------------------	---

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

propan-2-ol (67-63-0)	
LC50 other aquatic organisms 1	> 10000 mg/l 24 hours - Daphnia
Ethanol (64-17-5)	
LC50 fishes 1	> 14200 mg/l 96 hours
LC50 other aquatic organisms 1	5012 mg/l 48 hours- daphnia
EC50 Daphnia 1	454 mg/l
ErC50 (algae)	275 mg/l
ErC50 (other aquatic plants)	4432 mg/l
NOEC (acute)	9,6 mg/l Daphnia magna
Citric acid (77-92-9)	
LC50 fishes 1	> 440 mg/l 48 hours
EC50 Daphnia 1	1535 mg/l 24 hours

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international regulations.
- Additional information : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

- UN-No. : 1170
- UN-No.(IATA) : 1170
- UN-No. (IMDG) : 1170

14.2. UN proper shipping name

- Proper Shipping Name : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
- Transport document description : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)

14.3. Transport hazard class(es)

- Class (UN) : 3
- Classification code (UN) : F1
- Class (IATA) : 3
- Class (IMDG) : 3
- Hazard labels (UN) : 3



14.4. Packing group

- Packing group (UN) : III
- Packing group (IMDG) : III

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 30
Classification code (UN) : F1
Orange plates :



Tunnel restriction code : D/E
LQ : LQ07
Excepted quantities (ADR) : E1
EAC code : •2Y

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.6.4. Inland waterway transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions
Contains no REACH candidate substance

Seveso Information :

15.1.2. National regulations

Germany

Water hazard class (WGK) : nwg - non-hazardous to water
WGK remark : No water pollutant (Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender)
Storage class (LGK) : LGK 3A - Flammable liquid materials (Flashpoint < 55 °C)
VbF class : A II - Liquids with a flashpoint between 21 °C and 55 °C

15.2. Chemical safety assessment

CSA has not been carried out.

SECTION 16: Other information

Sources of Key data : MSDS.
Abbreviations and acronyms : ACGIH (American Conference of Government Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EC - European Community. EEC - European Economic Community. GHS - Globally Harmonised System. HCS - Hazard Communication Standard. MSDS - Material Safety Data Sheet. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Overland transport (ADR). SDS - Safety Data Sheet . PVC (Polyvinyl chloride).

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	flammable liquids Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Irrit. 2	skin corrosion/irritation Category 2

TORK Antimicrobial Foam Soap

Safety Data Sheet

according to Regulation (EC) No. 453/2010

STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
R10	Flammable
R11	Highly flammable
R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Xi	Irritant

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product