



## Clax Profi Forte 36C1

Revision: 2018-07-29

Version: 03.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Clax Profi Forte 36C1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses:

For professional and industrial use only.

AISE-P101 - Laundry detergent. Automatic process

**Uses advised against:** Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)

Met. Corr. 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains disodium/dipotassium metasilicate (Sodium/Potassium Metasilicate)

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

#### Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---------------|-----------|------------|--------------|----------------|-------|----------------|
|---------------|-----------|------------|--------------|----------------|-------|----------------|

## Clax Profi Forte 36C1

|                                                                      |                        |            |                  |                                                                    |       |
|----------------------------------------------------------------------|------------------------|------------|------------------|--------------------------------------------------------------------|-------|
| alkyl alcohol ethoxylate                                             | Polymer*               | 68439-46-3 | [4]              | Acute Tox. 4 (H302)<br>Eye Dam. 1 (H318)                           | 10-20 |
| disodium/dipotassium metasilicate                                    | 215-687-4<br>215-199-1 | -          | [1]              | Skin Corr. 1B (H314)<br>STOT SE 3 (H335)<br>Met. Corr. 1 (H290)    | 3-10  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs.,<br>potassium salts | 287-337-9              | 85480-57-5 | [1]              | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)   | 3-10  |
| potassium hydroxide                                                  | 215-181-3              | 1310-58-3  | 01-2119487136-33 | Skin Corr. 1A (H314)<br>Acute Tox. 4 (H302)<br>Met. Corr. 1 (H290) | 0.1-1 |
| sodium hydroxide                                                     | 215-185-5              | 1310-73-2  | 01-2119457892-27 | Skin Corr. 1A (H314)<br>Met. Corr. 1 (H290)                        | 0.1-1 |

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General Information:

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

#### Inhalation:

Get medical attention or advice if you feel unwell.

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

No known effects or symptoms in normal use.

#### Skin contact:

Causes severe burns.

#### Eye contact:

Causes severe or permanent damage.

#### Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Workplace exposure limits

Air limit values, if available:

| Ingredient(s)       | UK - Long term value(s) | UK - Short term value(s) |
|---------------------|-------------------------|--------------------------|
| potassium hydroxide |                         | 2 mg/m <sup>3</sup>      |
| sodium hydroxide    |                         | 2 mg/m <sup>3</sup>      |

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

### DNEL/DMEL and PNEC values

#### Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s)                                                     | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate                                          | -                          | -                             | -                         | -                            |
| disodium/dipotassium metasilicate                                 | No data available          | No data available             | No data available         | No data available            |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available          | No data available             | No data available         | No data available            |
| potassium hydroxide                                               | -                          | -                             | -                         | -                            |
| sodium hydroxide                                                  | -                          | -                             | -                         | -                            |

DNEL dermal exposure - Worker

| Ingredient(s)                                                     | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------------------------------------------|----------------------------|------------------------------------------|---------------------------|-----------------------------------------|
| alkyl alcohol ethoxylate                                          | -                          | -                                        | -                         | -                                       |
| disodium/dipotassium metasilicate                                 | No data available          | No data available                        | No data available         | No data available                       |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available          | No data available                        | No data available         | No data available                       |
| potassium hydroxide                                               | No data available          | -                                        | No data available         | -                                       |
| sodium hydroxide                                                  | 2 %                        | -                                        | -                         | -                                       |

DNEL dermal exposure - Consumer

| Ingredient(s)                                                     | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------------------------------------------|----------------------------|------------------------------------------|---------------------------|-----------------------------------------|
| alkyl alcohol ethoxylate                                          | -                          | -                                        | -                         | -                                       |
| disodium/dipotassium metasilicate                                 | No data available          | No data available                        | No data available         | No data available                       |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available          | No data available                        | No data available         | No data available                       |
| potassium hydroxide                                               | No data available          | -                                        | No data available         | -                                       |
| sodium hydroxide                                                  | 2 %                        | -                                        | -                         | -                                       |

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|---------------|--------------------|-----------------------|-------------------|----------------------|
|---------------|--------------------|-----------------------|-------------------|----------------------|

## Clax Profi Forte 36C1

|                                                                   | effects           | effects           | effects           | effects           |
|-------------------------------------------------------------------|-------------------|-------------------|-------------------|-------------------|
| alkyl alcohol ethoxylate                                          | -                 | -                 | -                 | -                 |
| disodium/dipotassium metasilicate                                 | No data available | No data available | No data available | No data available |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available | No data available | No data available | No data available |
| potassium hydroxide                                               | -                 | -                 | 1                 | -                 |
| sodium hydroxide                                                  | -                 | -                 | 1                 | -                 |

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

| Ingredient(s)                                                     | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate                                          | -                          | -                             | -                         | -                            |
| disodium/dipotassium metasilicate                                 | No data available          | No data available             | No data available         | No data available            |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available          | No data available             | No data available         | No data available            |
| potassium hydroxide                                               | -                          | -                             | 1                         | -                            |
| sodium hydroxide                                                  | -                          | -                             | 1                         | -                            |

**Environmental exposure**

Environmental exposure - PNEC

| Ingredient(s)                                                     | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|-------------------------------------------------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| alkyl alcohol ethoxylate                                          | -                           | -                            | -                   | -                             |
| disodium/dipotassium metasilicate                                 | No data available           | No data available            | No data available   | No data available             |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available           | No data available            | No data available   | No data available             |
| potassium hydroxide                                               | -                           | -                            | -                   | -                             |
| sodium hydroxide                                                  | -                           | -                            | -                   | -                             |

Environmental exposure - PNEC, continued

| Ingredient(s)                                                     | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg)      | Air (mg/m <sup>3</sup> ) |
|-------------------------------------------------------------------|------------------------------|--------------------------|-------------------|--------------------------|
| alkyl alcohol ethoxylate                                          | -                            | -                        | -                 | -                        |
| disodium/dipotassium metasilicate                                 | No data available            | No data available        | No data available | No data available        |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available            | No data available        | No data available | No data available        |
| potassium hydroxide                                               | -                            | -                        | -                 | -                        |
| sodium hydroxide                                                  | -                            | -                        | -                 | -                        |

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:** Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:** Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.  
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:** Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 0.85

**Appropriate engineering controls:** No special requirements under normal use conditions.

## Clax Profi Forte 36C1

**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions. Covered by respiratory protection.

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

|                                                                     | Method / remark                                |
|---------------------------------------------------------------------|------------------------------------------------|
| <b>Physical State:</b> Liquid                                       |                                                |
| <b>Colour:</b> Milky Medium Yellow                                  |                                                |
| <b>Odour:</b> Slightly perfumed                                     |                                                |
| <b>Odour threshold:</b> Not applicable                              |                                                |
| <b>pH:</b> $\approx$ 13 (neat)                                      | ISO 4316                                       |
| <b>Dilution pH:</b> $\approx$ 12                                    | ISO 4316                                       |
| <b>Melting point/freezing point (°C):</b> Not determined            | Not relevant to classification of this product |
| <b>Initial boiling point and boiling range (°C):</b> Not determined | See substance data                             |

Substance data, boiling point

| Ingredient(s)                                                     | Value (°C)        | Method           | Atmospheric pressure (hPa) |
|-------------------------------------------------------------------|-------------------|------------------|----------------------------|
| alkyl alcohol ethoxylate                                          | > 232.2           | Method not given |                            |
| disodium/dipotassium metasilicate                                 | No data available |                  |                            |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                  |                            |
| potassium hydroxide                                               | 140               | Method not given |                            |
| sodium hydroxide                                                  | > 990             | Method not given |                            |

|                                                                                         | Method / remark                                |
|-----------------------------------------------------------------------------------------|------------------------------------------------|
| <b>Flash point (°C):</b> Not applicable.                                                |                                                |
| <b>Sustained combustion:</b> No<br>( UN Manual of Tests and Criteria, section 32, L.2 ) |                                                |
| <b>Evaporation rate:</b> Not relevant for classification of this product.               | Not relevant to classification of this product |
| <b>Flammability (solid, gas):</b> Not applicable to liquids                             |                                                |
| <b>Upper/lower flammability limit (%):</b> Not determined                               |                                                |

Substance data, flammability or explosive limits, if available:

|                                             | Method / remark    |
|---------------------------------------------|--------------------|
| <b>Vapour pressure:</b> See substance data. | See substance data |

Substance data, vapour pressure

| Ingredient(s)                                                     | Value (Pa)        | Method           | Temperature (°C) |
|-------------------------------------------------------------------|-------------------|------------------|------------------|
| alkyl alcohol ethoxylate                                          | < 10              | Method not given | 37.8             |
| disodium/dipotassium metasilicate                                 | No data available |                  |                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                  |                  |
| potassium hydroxide                                               | 2300              | Method not given | 20               |
| sodium hydroxide                                                  | < 1330            | Method not given | 20               |

|                                                               | Method / remark                                |
|---------------------------------------------------------------|------------------------------------------------|
| <b>Vapour density:</b> Not determined                         | Not relevant to classification of this product |
| <b>Relative density:</b> $\approx$ 1.18 (20 °C)               | OECD 109 (EU A.3)                              |
| <b>Solubility in / Miscibility with Water:</b> Fully miscible |                                                |

Substance data, solubility in water

| Ingredient(s)                                                     | Value (g/l)       | Method           | Temperature (°C) |
|-------------------------------------------------------------------|-------------------|------------------|------------------|
| alkyl alcohol ethoxylate                                          | 100 Soluble       | Method not given |                  |
| disodium/dipotassium metasilicate                                 | No data available |                  |                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                  |                  |
| potassium hydroxide                                               | No data available |                  |                  |
| sodium hydroxide                                                  | 1000              | Method not given | 20               |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Clax Profi Forte 36C1

**Autoignition temperature:** Not determined  
**Decomposition temperature:**  $\approx 100$  (°C)  
**Viscosity:**  $\approx 525$  mPa.s (20 °C)  
**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.

## Method / remark

DM-006 Viscosity - Standard

## 9.2 Other information

**Surface tension (N/m):** Not determined  
**Corrosion to metals:** Corrosive

OECD 115  
 Weight of evidence

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

## 10.2 Chemical stability

Stable under normal storage and use conditions.

## 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

## 10.4 Conditions to avoid

None known under normal storage and use conditions.

## 10.5 Incompatible materials

Reacts with acids.

## 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Mixture data:.

## Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

## Acute toxicity

## Acute oral toxicity

| Ingredient(s)                                                     | Endpoint         | Value (mg/kg)     | Species | Method           | Exposure time (h) |
|-------------------------------------------------------------------|------------------|-------------------|---------|------------------|-------------------|
| alkyl alcohol ethoxylate                                          | LD <sub>50</sub> | 300 - 2000        |         | Method not given |                   |
| disodium/dipotassium metasilicate                                 |                  | No data available |         |                  |                   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |         |                  |                   |
| potassium hydroxide                                               | LD <sub>50</sub> | 333               | Rat     | OECD 425         |                   |
| sodium hydroxide                                                  |                  | No data available |         |                  |                   |

## Acute dermal toxicity

| Ingredient(s)                                                     | Endpoint         | Value (mg/kg)     | Species | Method           | Exposure time (h) |
|-------------------------------------------------------------------|------------------|-------------------|---------|------------------|-------------------|
| alkyl alcohol ethoxylate                                          | LD <sub>50</sub> | 2000 - 5000       | Rat     | Method not given |                   |
| disodium/dipotassium metasilicate                                 |                  | No data available |         |                  |                   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |         |                  |                   |
| potassium hydroxide                                               |                  | No data available |         |                  |                   |
| sodium hydroxide                                                  | LD <sub>50</sub> | 1350              | Rabbit  | Method not given |                   |

## Acute inhalative toxicity

| Ingredient(s)            | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|----------|--------------|---------|--------|-------------------|
| alkyl alcohol ethoxylate |          | No data      |         |        |                   |

## Clax Profi Forte 36C1

|                                                                   |  |                   |  |  |  |
|-------------------------------------------------------------------|--|-------------------|--|--|--|
|                                                                   |  | available         |  |  |  |
| disodium/dipotassium metasilicate                                 |  | No data available |  |  |  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |  | No data available |  |  |  |
| potassium hydroxide                                               |  | No data available |  |  |  |
| sodium hydroxide                                                  |  | No data available |  |  |  |

**Irritation and corrosivity**

## Skin irritation and corrosivity

| <b>Ingredient(s)</b>                                              | <b>Result</b>     | <b>Species</b> | <b>Method</b>    | <b>Exposure time</b> |
|-------------------------------------------------------------------|-------------------|----------------|------------------|----------------------|
| alkyl alcohol ethoxylate                                          | Not irritant      |                | Method not given |                      |
| disodium/dipotassium metasilicate                                 | No data available |                |                  |                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                |                  |                      |
| potassium hydroxide                                               | Corrosive         | Rabbit         | Draize test      |                      |
| sodium hydroxide                                                  | Corrosive         | Rabbit         | Method not given |                      |

## Eye irritation and corrosivity

| <b>Ingredient(s)</b>                                              | <b>Result</b>     | <b>Species</b> | <b>Method</b>    | <b>Exposure time</b> |
|-------------------------------------------------------------------|-------------------|----------------|------------------|----------------------|
| alkyl alcohol ethoxylate                                          | Severe damage     | Rabbit         | Method not given |                      |
| disodium/dipotassium metasilicate                                 | No data available |                |                  |                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                |                  |                      |
| potassium hydroxide                                               | Corrosive         | Rabbit         | Method not given |                      |
| sodium hydroxide                                                  | Corrosive         | Rabbit         | Method not given |                      |

## Respiratory tract irritation and corrosivity

| <b>Ingredient(s)</b>                                              | <b>Result</b>     | <b>Species</b> | <b>Method</b> | <b>Exposure time</b> |
|-------------------------------------------------------------------|-------------------|----------------|---------------|----------------------|
| alkyl alcohol ethoxylate                                          | No data available |                |               |                      |
| disodium/dipotassium metasilicate                                 | No data available |                |               |                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                |               |                      |
| potassium hydroxide                                               | No data available |                |               |                      |
| sodium hydroxide                                                  | No data available |                |               |                      |

**Sensitisation**

## Sensitisation by skin contact

| <b>Ingredient(s)</b>                                              | <b>Result</b>     | <b>Species</b> | <b>Method</b>             | <b>Exposure time (h)</b> |
|-------------------------------------------------------------------|-------------------|----------------|---------------------------|--------------------------|
| alkyl alcohol ethoxylate                                          | Not sensitising   | Guinea pig     | Method not given          |                          |
| disodium/dipotassium metasilicate                                 | No data available |                |                           |                          |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                |                           |                          |
| potassium hydroxide                                               | Not sensitising   | Guinea pig     | Method not given          |                          |
| sodium hydroxide                                                  | Not sensitising   |                | Human repeated patch test |                          |

## Sensitisation by inhalation

| <b>Ingredient(s)</b>                                              | <b>Result</b>     | <b>Species</b> | <b>Method</b> | <b>Exposure time</b> |
|-------------------------------------------------------------------|-------------------|----------------|---------------|----------------------|
| alkyl alcohol ethoxylate                                          | No data available |                |               |                      |
| disodium/dipotassium metasilicate                                 | No data available |                |               |                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |                |               |                      |
| potassium hydroxide                                               | No data available |                |               |                      |
| sodium hydroxide                                                  | No data available |                |               |                      |

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

| <b>Ingredient(s)</b>                                              | <b>Result (in-vitro)</b>                            | <b>Method (in-vitro)</b>                       | <b>Result (in-vivo)</b>                             | <b>Method (in-vivo)</b>               |
|-------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------|-----------------------------------------------------|---------------------------------------|
| alkyl alcohol ethoxylate                                          | No evidence for mutagenicity, negative test results | OECD 473                                       | No data available                                   |                                       |
| disodium/dipotassium metasilicate                                 | No data available                                   |                                                | No data available                                   |                                       |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available                                   |                                                | No data available                                   |                                       |
| potassium hydroxide                                               | No evidence for mutagenicity, negative test results | Method not given                               | No data available                                   |                                       |
| sodium hydroxide                                                  | No evidence for mutagenicity, negative test results | DNA repair test on rat hepatocytes<br>OECD 473 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |

## Carcinogenicity

| <b>Ingredient(s)</b>     | <b>Effect</b>                                          |
|--------------------------|--------------------------------------------------------|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |

## Clax Profi Forte 36C1

|                                                                   |                                                        |
|-------------------------------------------------------------------|--------------------------------------------------------|
| disodium/dipotassium metasilicate                                 | No data available                                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available                                      |
| potassium hydroxide                                               | No evidence for carcinogenicity, negative test results |
| sodium hydroxide                                                  | No evidence for carcinogenicity, weight-of-evidence    |

## Toxicity for reproduction

| Ingredient(s)                                                     | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method    | Exposure time | Remarks and other effects reported                                           |
|-------------------------------------------------------------------|----------|-----------------|--------------------|---------|-----------|---------------|------------------------------------------------------------------------------|
| alkyl alcohol ethoxylate                                          | NOAEL    |                 | > 250              | Rat     | Not known |               | No effects on fertility No developmental toxicity                            |
| disodium/dipotassium metasilicate                                 |          |                 | No data available  |         |           |               |                                                                              |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          |                 | No data available  |         |           |               |                                                                              |
| potassium hydroxide                                               |          |                 | No data available  |         |           |               | No evidence for reproductive toxicity                                        |
| sodium hydroxide                                                  |          |                 | No data available  |         |           |               | No evidence for developmental toxicity No evidence for reproductive toxicity |

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

| Ingredient(s)                                                     | Endpoint | Value (mg/kg bw/d) | Species | Method           | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------------------------------------|----------|--------------------|---------|------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate                                          | NOAEL    | 80 - 400           |         | Method not given |                      |                                      |
| disodium/dipotassium metasilicate                                 |          | No data available  |         |                  |                      |                                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          | No data available  |         |                  |                      |                                      |
| potassium hydroxide                                               |          | No data available  |         |                  |                      |                                      |
| sodium hydroxide                                                  |          | No data available  |         |                  |                      |                                      |

## Sub-chronic dermal toxicity

| Ingredient(s)                                                     | Endpoint | Value (mg/kg bw/d) | Species | Method             | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------------------------------------|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate                                          | NOAEL    | 80                 |         | OECD 411 (EU B.28) | 90                   |                                      |
| disodium/dipotassium metasilicate                                 |          | No data available  |         |                    |                      |                                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          | No data available  |         |                    |                      |                                      |
| potassium hydroxide                                               |          | No data available  |         |                    |                      |                                      |
| sodium hydroxide                                                  |          | No data available  |         |                    |                      |                                      |

## Sub-chronic inhalation toxicity

| Ingredient(s)                                                     | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate                                          |          | No data available  |         |        |                      |                                      |
| disodium/dipotassium metasilicate                                 |          | No data available  |         |        |                      |                                      |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          | No data available  |         |        |                      |                                      |
| potassium hydroxide                                               |          | No data available  |         |        |                      |                                      |
| sodium hydroxide                                                  |          | No data available  |         |        |                      |                                      |

## Chronic toxicity

| Ingredient(s)                                                     | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|-------------------------------------------------------------------|----------------|----------|--------------------|---------|--------|---------------|--------------------------------------|--------|
| alkyl alcohol ethoxylate                                          |                |          | No data available  |         |        |               |                                      |        |
| disodium/dipotassium metasilicate                                 |                |          | No data available  |         |        |               |                                      |        |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                |          | No data available  |         |        |               |                                      |        |
| potassium hydroxide                                               |                |          | No data available  |         |        |               |                                      |        |
| sodium hydroxide                                                  |                |          | No data available  |         |        |               |                                      |        |

## STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---------------|-------------------|
|---------------|-------------------|



## Clax Profi Forte 36C1

|                                                                   |                   |
|-------------------------------------------------------------------|-------------------|
| alkyl alcohol ethoxylate                                          | No data available |
| disodium/dipotassium metasilicate                                 | No data available |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |
| potassium hydroxide                                               | No data available |
| sodium hydroxide                                                  | No data available |

## STOT-repeated exposure

| Ingredient(s)                                                     | Affected organ(s) |
|-------------------------------------------------------------------|-------------------|
| alkyl alcohol ethoxylate                                          | No data available |
| disodium/dipotassium metasilicate                                 | No data available |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |
| potassium hydroxide                                               | No data available |
| sodium hydroxide                                                  | No data available |

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Species                | Method                     | Exposure time (h) |
|-------------------------------------------------------------------|------------------|-------------------|------------------------|----------------------------|-------------------|
| alkyl alcohol ethoxylate                                          | LC <sub>50</sub> | 5 - 7             | <i>Fish</i>            | 92/69/EEC, C1, semi-static | 96                |
| disodium/dipotassium metasilicate                                 |                  | No data available |                        |                            |                   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |                        |                            |                   |
| potassium hydroxide                                               | LC <sub>50</sub> | 80                | <i>Various species</i> | Method not given           | 24                |
| sodium hydroxide                                                  | LC <sub>50</sub> | 35                | <i>Various species</i> | Method not given           | 96                |

Aquatic short-term toxicity - crustacea

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Species                     | Method           | Exposure time (h) |
|-------------------------------------------------------------------|------------------|-------------------|-----------------------------|------------------|-------------------|
| alkyl alcohol ethoxylate                                          | EC <sub>50</sub> | 5.3               | <i>Daphnia</i>              | 92/69/EEC        | 48                |
| disodium/dipotassium metasilicate                                 |                  | No data available |                             |                  |                   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |                             |                  |                   |
| potassium hydroxide                                               | EC <sub>50</sub> | 30 - 1000         | <i>Daphnia magna Straus</i> | Method not given | -                 |
| sodium hydroxide                                                  | EC <sub>50</sub> | 40.4              | <i>Ceriodaphnia sp.</i>     | Method not given | 48                |

Aquatic short-term toxicity - algae

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Species                           | Method           | Exposure time (h) |
|-------------------------------------------------------------------|------------------|-------------------|-----------------------------------|------------------|-------------------|
| alkyl alcohol ethoxylate                                          | EC <sub>50</sub> | 1.4 - 47          | <i>Not specified</i>              | 92/69/EEC        | 72                |
| disodium/dipotassium metasilicate                                 |                  | No data available |                                   |                  |                   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |                                   |                  |                   |
| potassium hydroxide                                               |                  | No data available |                                   |                  | -                 |
| sodium hydroxide                                                  | EC <sub>50</sub> | 22                | <i>Photobacterium phosphoreum</i> | Method not given | 0.25              |

Aquatic short-term toxicity - marine species

| Ingredient(s)                     | Endpoint | Value (mg/l)      | Species | Method | Exposure time (days) |
|-----------------------------------|----------|-------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate          |          | No data available |         |        | -                    |
| disodium/dipotassium metasilicate |          | No data           |         |        |                      |

## Clax Profi Forte 36C1

|                                                                   |  |                   |  |  |   |
|-------------------------------------------------------------------|--|-------------------|--|--|---|
|                                                                   |  | available         |  |  |   |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |  | No data available |  |  |   |
| potassium hydroxide                                               |  | No data available |  |  | - |
| sodium hydroxide                                                  |  | No data available |  |  | - |

## Impact on sewage plants - toxicity to bacteria

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Inoculum                          | Method           | Exposure time |
|-------------------------------------------------------------------|------------------|-------------------|-----------------------------------|------------------|---------------|
| alkyl alcohol ethoxylate                                          | EC <sub>50</sub> | > 140             | Bacteria                          | Method not given | 3 hour(s)     |
| disodium/dipotassium metasilicate                                 |                  | No data available |                                   |                  |               |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |                                   |                  |               |
| potassium hydroxide                                               | EC <sub>50</sub> | 22                | <i>Photobacterium phosphoreum</i> | Method not given | 15 minute(s)  |
| sodium hydroxide                                                  |                  | No data available |                                   |                  |               |

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Species       | Method           | Exposure time | Effects observed |
|-------------------------------------------------------------------|------------------|-------------------|---------------|------------------|---------------|------------------|
| alkyl alcohol ethoxylate                                          | EC <sub>10</sub> | 8.983             | Not specified | Method not given | 21 day(s)     |                  |
| disodium/dipotassium metasilicate                                 |                  | No data available |               |                  |               |                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |               |                  |               |                  |
| potassium hydroxide                                               |                  | No data available |               |                  |               |                  |
| sodium hydroxide                                                  |                  | No data available |               |                  |               |                  |

## Aquatic long-term toxicity - crustacea

| Ingredient(s)                                                     | Endpoint         | Value (mg/l)      | Species            | Method           | Exposure time | Effects observed |
|-------------------------------------------------------------------|------------------|-------------------|--------------------|------------------|---------------|------------------|
| alkyl alcohol ethoxylate                                          | EC <sub>10</sub> | 2.579             | <i>Daphnia sp.</i> | Method not given | 21 day(s)     |                  |
| disodium/dipotassium metasilicate                                 |                  | No data available |                    |                  |               |                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |                  | No data available |                    |                  |               |                  |
| potassium hydroxide                                               |                  | No data available |                    |                  |               |                  |
| sodium hydroxide                                                  |                  | No data available |                    |                  |               |                  |

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s)                                                     | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------------------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate                                          |          | No data available         |         |        | -                    |                  |
| disodium/dipotassium metasilicate                                 |          | No data available         |         |        |                      |                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          | No data available         |         |        |                      |                  |
| potassium hydroxide                                               |          | No data available         |         |        | -                    |                  |
| sodium hydroxide                                                  |          | No data available         |         |        | -                    |                  |

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s)            | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate |          | No data available     |         |        | -                    |                  |
| potassium hydroxide      |          | No data available     |         |        | -                    |                  |
| sodium hydroxide         |          | No data available     |         |        | -                    |                  |

## Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw) | Species | Method | Exposure time (days) | Effects observed |
|---------------|----------|------------------|---------|--------|----------------------|------------------|
|---------------|----------|------------------|---------|--------|----------------------|------------------|

## Clax Profi Forte 36C1

|                          |  | soil)             |  |  |   |  |
|--------------------------|--|-------------------|--|--|---|--|
| alkyl alcohol ethoxylate |  | No data available |  |  | - |  |
| potassium hydroxide      |  | No data available |  |  | - |  |
| sodium hydroxide         |  | No data available |  |  | - |  |

Terrestrial toxicity - birds, if available:

| Ingredient(s)            | Endpoint | Value             | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate |          | No data available |         |        | -                    |                  |
| potassium hydroxide      |          | No data available |         |        | -                    |                  |
| sodium hydroxide         |          | No data available |         |        | -                    |                  |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s)            | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate |          | No data available     |         |        | -                    |                  |
| potassium hydroxide      |          | No data available     |         |        | -                    |                  |
| sodium hydroxide         |          | No data available     |         |        | -                    |                  |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s)            | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate |          | No data available     |         |        | -                    |                  |
| potassium hydroxide      |          | No data available     |         |        | -                    |                  |
| sodium hydroxide         |          | No data available     |         |        | -                    |                  |

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s)    | Half-life time | Method           | Evaluation              | Remark |
|------------------|----------------|------------------|-------------------------|--------|
| sodium hydroxide | 13 second(s)   | Method not given | Rapidly photodegradable |        |

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

| Ingredient(s)                                                     | Inoculum | Analytical method | DT <sub>50</sub>  | Method      | Evaluation                           |
|-------------------------------------------------------------------|----------|-------------------|-------------------|-------------|--------------------------------------|
| alkyl alcohol ethoxylate                                          |          |                   | 60 % in 28 day(s) | Read across | Readily biodegradable                |
| disodium/dipotassium metasilicate                                 |          |                   |                   |             | Not applicable (inorganic substance) |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts |          |                   |                   |             | No data available                    |
| potassium hydroxide                                               |          |                   |                   |             | Not applicable (inorganic substance) |
| sodium hydroxide                                                  |          |                   |                   |             | Not applicable (inorganic substance) |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s)                     | Medium & Type | Analytical method | DT <sub>50</sub> | Method | Evaluation                           |
|-----------------------------------|---------------|-------------------|------------------|--------|--------------------------------------|
| disodium/dipotassium metasilicate |               |                   |                  |        | Not applicable (inorganic substance) |

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

| Ingredient(s)                                               | Value             | Method           | Evaluation                         | Remark |
|-------------------------------------------------------------|-------------------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate                                    | 3.11 - 4.19       | Method not given | High potential for bioaccumulation |        |
| disodium/dipotassium metasilicate                           | No data available |                  |                                    |        |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium | No data available |                  |                                    |        |

## Clax Profi Forte 36C1

|                     |                   |  |                                      |  |
|---------------------|-------------------|--|--------------------------------------|--|
| salts               |                   |  |                                      |  |
| potassium hydroxide | No data available |  | Not relevant, does not bioaccumulate |  |
| sodium hydroxide    | No data available |  | Not relevant, does not bioaccumulate |  |

## Bioconcentration factor (BCF)

| Ingredient(s)                                                     | Value             | Species | Method           | Evaluation                         | Remark |
|-------------------------------------------------------------------|-------------------|---------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate                                          | < 500             |         | Method not given | High potential for bioaccumulation |        |
| disodium/dipotassium metasilicate                                 | No data available |         |                  |                                    |        |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available |         |                  |                                    |        |
| potassium hydroxide                                               | No data available |         |                  |                                    |        |
| sodium hydroxide                                                  | No data available |         |                  |                                    |        |

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s)                                                     | Adsorption coefficient Log K <sub>oc</sub> | Desorption coefficient Log K <sub>oc</sub> (des) | Method | Soil/sediment type | Evaluation                                       |
|-------------------------------------------------------------------|--------------------------------------------|--------------------------------------------------|--------|--------------------|--------------------------------------------------|
| alkyl alcohol ethoxylate                                          | No data available                          |                                                  |        |                    | Potential for mobility in soil, soluble in water |
| disodium/dipotassium metasilicate                                 | No data available                          |                                                  |        |                    |                                                  |
| benzenesulphonic acid, mono-C10-13-alkyl derivs., potassium salts | No data available                          |                                                  |        |                    |                                                  |
| potassium hydroxide                                               | No data available                          |                                                  |        |                    | Low potential for adsorption to soil             |
| sodium hydroxide                                                  | No data available                          |                                                  |        |                    | Mobile in soil                                   |

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 15\* - alkalines.

European Waste Catalogue:

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

## SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. ( disodium-/dipotassium trioxosilicate , sodium-/potassium hydroxide )

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5

## Clax Profi Forte 36C1

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations:

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

UFI: 0XW0-C05T-T00P-MEUH

#### Ingredients according to EC Detergents Regulation 648/2004

|                                                                      |           |
|----------------------------------------------------------------------|-----------|
| soap                                                                 | 15 - 30 % |
| non-ionic surfactants                                                | 5 - 15 %  |
| anionic surfactants, phosphonates                                    | < 5 %     |
| optical brighteners, perfumes, Limonene, Benzyl Salicylate, Linalool |           |

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1000888

**Version:** 03.2

**Revision:** 2018-07-29

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 4, 7, 8, 9, 15, 16

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H335 - May cause respiratory irritation.
- H402 - Harmful to aquatic life.

#### Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

**End of Safety Data Sheet**