Cleanline Blue Sanitiser Powder

Safety Data Sheet

According to GB and EU REACH and CLP Regulations
Compilation date: 27/07/2026 Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	Mixture
Product name	Cleanline Blue Sanitiser Powder
Product code	CL1081, CL1082

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier
Bunzl UK Ltd
Prime Source
Unit P Heron Drive
Langley
SL3 8XP
UK
Tel: +44 (0) 121 326 8921
E-mail: info@prime-source.co.uk

Supplier
Bunzl Ireland Ltd
Prime Source
Unit D9 Horizon Logistics Park
Co. Dublin
K67 N4T2
Ireland
Tel: +353 (0)1 630 1800
Email: info@prime-source.co.uk

1.4. Emergency telephone number

Emergency number: +44 (0) 1865 407 333
24 hour – Medical Emergency Only

Country	Organisation/Company	Address	Emergency Number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals 24/7) +353 1 809 2166 (public, 8am – 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations

Eye Irrit. 2: H319; Aquatic Chronic 2: H411; -: EUH031

Most important adverse effects

Contact with acids liberates toxic gas. Causes serious eye irritation. Toxic to aquatic life with long last effects.

2.2. Label elements

Label elements:

Hazard pictograms (CLP)

GHS09: Environmental



GHS07: Exclamation mark



Signal Word: Warning

Hazard statements (CLP):
EUH031: Contact with acids liberates toxic gas.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)	P264: Wash hands thoroughly after handling. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical advice/attention. P391: Collect spillage. P102: Keep out of reach of children

2.3. Other hazards

Other hazards: Contact with acids liberates very toxic gas.
PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Name	ENIECS Number	CAS Number	%	Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations
Sodium Carbonate	207-838-8	497-19-8	30-50%	Eye Irrit. 2, H319
Troclosene sodium, dihydrate	220-767-7	51580-86-0	1-10%	Acute Tox. 4: H302 Eye Irrit. 2: H319 STOT SE 3: H335 Aquatic Chronic 1: H410 Aquatic Acute 1: H400 -: EUH031
Sodium dodecyl benzene sulphonate	246-680-4	25155-30-0	1-10%	Acute Tox. 4: H302 Eye Dam. 1: H318 Skin Irrit. 2: H315 STOT SE 3: H335

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion:	Wash out mouth with water. Consult a doctor.
Inhalation:	Avoid the creation of dusts.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/immediate effects:	Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate/special treatment:	Eye bathing equipment should be available on the premises.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguishing media:	This product itself is not a fire risk. In a fire, decomposition of product may assist combustion. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards:	In combustion emits toxic fumes.

5.3. Advice for firefighters

Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

6.2. Environmental precautions

Environmental precautions:	Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures:	Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections:	Refer to section 8 of SDS.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Avoid contact with strong oxidisers. Store below 40°C.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
Respiratory protection:	If working in a confined space and dusts are created then a respiratory device with particle filter is recommended.
Hand protection:	Protective gloves.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Powder
Colour:	Blue
Odour:	Chlorine
Solubility in water:	Miscible

9.2. Other Information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products: In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE				
ORL	MUS	LD50	6600	Mg/kg
ORL	RAT	LD50	4090	Mg/kg
SCU	MUS	LD50	2210	Mg/kg

SODIUM DODECYL BENZENE SULPHONATE				
ORAL	RAT	LD50	438	Mg/kg

Relevant hazards for substance:		
Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms/routes for exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE			
RAT	96H LC50	2800	Mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Do not mix with other chemicals. Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: Transport information

Transport class: This product does not require a classification for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

EUH031: Contact with acids liberates toxic gas.
H302: Harmful if swallowed. H315: Causes skin irritation.
H318: Causes serious eye damage. H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H410: Very toxic to aquatic life with long lasting effects
H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.