Cleanline Super Chlorinated Alkaline Foaming Detergent

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended
Issue date: 27/02/2026 Revision date: 13/04/2026 Supersedes: 27/02/2026 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Product name	:	Cleanline Super Chlorinated Alkaline Foaming Detergent
Product code	:	CL1105, CL1108
Type of product	:	Detergent,Degreaser
Product group	:	End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Professional use
Industrial/Professional use spec	:	For professional use only
Use of the substance/mixture	:	Detergent Degreaser

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier
Bunzl UK
PrimeSource Unit P
Heron Drive
SL3 8XP Langley
UK
T 0121 326 8921
info@prime-source.co.uk

Supplier
Bunzl Ireland
PrimeSource Unit D9 Horizon Logistics Park
K67 N4T2 Swords – Dublin
Ireland
T 01630 1800
info@prime-source.co.uk

1.4. Emergency telephone number

Emergency number : 24 Hour Emergency Telephone Number 01865 407 333.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05 GHS09

Signal word (GB CLP) : Danger

Contains : SODIUM C14-16 OLEFIN SULPHONATE; Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides; sodium hydroxide; caustic soda; Sodium Hypochlorite

Hazard statements (GB CLP) : H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GB CLP) : P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P391 - Collect spillage.

2.3. Other hazards

Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6), Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2), sodium hydroxide; caustic soda (1310-73-2), Sodium Hypochlorite (7681-52-9), Sodium Xylene Sulfonate (1300-72-7)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6), Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2), sodium hydroxide; caustic soda (1310-73-2), Sodium Hypochlorite (7681-52-9), Sodium Xylene Sulfonate (1300-72-7)

Results of Endocrine Disruptor assessment

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Sodium Xylene Sulfonate(1300-72-7), sodium hydroxide; caustic soda(1310-73-2), Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides(68424-94-2), SODIUM C14-16 OLEFIN SULPHONATE(68439-57-6), Sodium Hypochlorite(7681-52-9)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Sodium Xylene Sulfonate	CAS-No.: 1300-72-7 EC-No.: 701-037-1	≥ 10 – < 20	Eye Irrit. 2, H319
sodium hydroxide; caustic soda substance with workplace exposure limit(s)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6	≥ 1 – < 10	Skin Corr. 1, H314 Eye Dam. 1, H318
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	CAS-No.: 68424-94-2 EC-No.: 270-329-4	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
SODIUM C14-16 OLEFIN SULPHONATE	CAS-No.: 68439-57-6 EC-No.: 931-534-0	≥ 1 – < 10	Acute Tox. 3 (Oral), H301 (ATE=290 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Sodium Hypochlorite	CAS-No.: 7681-52-9 EC-No.: 231-668-3 UK Index-No.: 017-011-00-1	≥ 1 – < 10	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 EUH031

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314
Sodium Hypochlorite	CAS-No.: 7681-52-9 EC-No.: 231-668-3 UK Index-No.: 017-011-00-1	(5 ≤ C ≤ 100) EUH031

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Self protection of the first-aider : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	:	No fire hazard.
Explosion hazard	:	No direct explosion hazard.
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	:	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment	:	Wear recommended personal protective equipment.
Emergency procedures	:	Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe mist, spray, vapours.

6.1.2. For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	:	Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	:	Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	:	Take up liquid spill into absorbent material.
Other information	:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	:	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	:	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe mist, spray, vapours. Wear personal protective equipment.
Hygiene measures	:	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Keep in a cool, well-ventilated place away from heat.
Storage conditions	:	Store locked up.
Packaging materials	:	Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:
Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:
Wear recommended personal protective equipment.
Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Safety glasses (EN 166)

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:
Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Yellow liquid.
Colour	:	Yellow.
Odour	:	chlorine-like.
Odour threshold	:	Not available
pH	:	> 12.5
pH solution concentration	:	100 %
Melting point	:	Not applicable
Freezing point	:	Not available
Boiling point	:	Not available
Flash point	:	Not available
Flammability	:	Not available
Explosive limits	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Relative vapour density at 20°C	:	Not available
Relative density	:	1.16
Density	:	Not available
Solubility	:	Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
Viscosity, kinematic	:	Not available
Viscosity, dynamic	:	< 100 cP
Explosive properties	:	Not available

9.2. Other information

Particle characteristics	:	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	
LD50 oral rat	290 mg/kg Source: International Uniform ChemicaL Information Database
LD50 dermal	> 2000 mg/kg
LC50 Inhalation - Rat	> 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
LD50 oral rat	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg

sodium hydroxide; caustic soda (1310-73-2)	
LD50 dermal rabbit	325 mg/kg

Sodium Hypochlorite (7681-52-9)	
LD50 oral rat	1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:

Sodium Xylene Sulfonate (1300-72-7)	
LD50 oral rat	≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)

Skin corrosion/irritation : Causes severe skin burns.
pH: > 12.5

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
pH	7 – 8

sodium hydroxide; caustic soda (1310-73-2)	
pH	14

Serious eye damage/irritation : Causes serious eye damage.
pH: > 12.5

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
pH	7 – 8

sodium hydroxide; caustic soda (1310-73-2)	
pH	14

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	
NOAEL (chronic, oral, animal/male, 2 years)	≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (chronic, oral, animal/female, 2 years)	≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female

Sodium Xylene Sulfonate (1300-72-7)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
NOAEL (animal/male, F1)	37 – 128 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:
NOAEL (animal/female, F1)	47 – 119 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight/day Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

Sodium Xylene Sulfonate (1300-72-7)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long–term (chronic) : Toxic to aquatic life with long lasting effects.

SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.53 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 72h - Algae [1]	5.2 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	20 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	6.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
LC50 - Fish [1]	841.9 mg/l Source: ECOSAR
EC50 - Crustacea [1]	10.4 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	3.1 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	445.944 mg/l Source: ECOSAR
NOEC chronic crustacea	0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

sodium hydroxide; caustic soda (1310-73-2)	
LC50 - Fish [1]	125 mg/l

sodium hydroxide; caustic soda (1310-73-2)	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

Sodium Hypochlorite (7681-52-9)	
EC50 - Crustacea [1]	141 µg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	35 µg/l Test organisms (species): Ceriodaphnia dubia
EC50 72h - Algae [1]	0.0365 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.0183 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Sodium Xylene Sulfonate (1300-72-7)	
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

Cleanline Super Chlorinated Alkaline Foaming Detergent	
Persistence and degradability	Not rapidly degradable

SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	
Persistence and degradability	Not rapidly degradable

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	
Persistence and degradability	Not rapidly degradable

sodium hydroxide; caustic soda (1310-73-2)	
Persistence and degradability	Rapidly degradable

Sodium Hypochlorite (7681-52-9)	
Persistence and degradability	Not rapidly degradable

Sodium Xylene Sulfonate (1300-72-7)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	
Partition coefficient n-octanol/water (Log Pow)	4.49 Source: Quantitative Structure Activity Relation

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
SODIUM C14-16 OLEFIN SULPHONATE (68439-57-6)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (68424-94-2)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

Component	
sodium hydroxide; caustic soda (1310-73-2)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Sodium Hypochlorite (7681-52-9)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Sodium Xylene Sulfonate (1300-72-7)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.
HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.
HP12 - "Release of an acute toxic gas:" waste which releases acute toxic gases (Acute Tox. 1, 2 or 3) in contact with water or an acid
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1719	UN 1719	UN 1719	UN 1719	UN 1719
14.2. UN proper shipping name				
CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE)	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE)	Caustic alkali liquid, n.o.s. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE)	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE)	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE)
Transport document description				
UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1719 Caustic alkali liquid, n.o.s. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYPOCHLORITE & SODIUM HYDROXIDE), 8, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
8	8	8	8	8
				

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	C5
Special provisions (ADR)	:	274
Limited quantities (ADR)	:	1l
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02
Mixed packing provisions (ADR)	:	MP15
Portable tank and bulk container instructions (ADR)	:	T11
Portable tank and bulk container special provisions (ADR)	:	TP2, TP27
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	2
Hazard identification number (Kemler No.)	:	80
Orange plates	:	
Tunnel restriction code (ADR)	:	E
EAC code	:	2R

Transport by sea

Special provisions (IMDG)	:	274
Limited quantities (IMDG)	:	1 L
Excepted quantities (IMDG)	:	E2
Packing instructions (IMDG)	:	P001
IBC packing instructions (IMDG)	:	IBC02
Tank instructions (IMDG)	:	T11
Tank special provisions (IMDG)	:	TP2, TP27
EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-B
Stowage category (IMDG)	:	A
Segregation (IMDG)	:	SGG18, SG22, SG35
Properties and observations (IMDG)	:	Corrosive to aluminium, zinc and tin. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	:	E2
PCA Limited quantities (IATA)	:	Y840
PCA limited quantity max net quantity (IATA)	:	0.5L
PCA packing instructions (IATA)	:	851
PCA max net quantity (IATA)	:	1L
CAO packing instructions (IATA)	:	855
CAO max net quantity (IATA)	:	30L
Special provisions (IATA)	:	A3, A803
ERG code (IATA)	:	8L

Inland waterway transport

Classification code (ADN)	:	C5
Special provisions (ADN)	:	274
Limited quantities (ADN)	:	1 L
Excepted quantities (ADN)	:	E2
Carriage permitted (ADN)	:	T
Equipment required (ADN)	:	PP, EP
Number of blue cones/lights (ADN)	:	0

Rail transport

Classification code (RID)	:	C5
Special provisions (RID)	:	274
Limited quantities (RID)	:	1L
Excepted quantities (RID)	:	E2
Packing instructions (RID)	:	P001, IBC02
Mixed packing provisions (RID)	:	MP15
Portable tank and bulk container instructions (RID)	:	T11
Portable tank and bulk container special provisions (RID)	:	TP2, TP27
Tank codes for RID tanks (RID)	:	L4BN
Transport category (RID)	:	2
Colis express (express parcels) (RID)	:	CE6
Hazard identification number (RID)	:	80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC).

Detergent Regulation (EC 648/2004)

Contains no ingredient(s) required to be listed according to the Detergent Regulation (648/2004).

GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Sodium hydroxide - 1310-73-2 (12 % of total caustic alkalinity), Sodium hypochlorite solutions - 7681-52-9 (> 6 % available chlorine)
This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure
This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure
This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes (UK)		
Section	**Changed item**	**Comments**
1.1	Name	**Modified**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
BS EN	British Standard
CAS-No.	Chemical Abstracts Service number
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH031	Contact with acids liberates toxic gas.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.