



SAFETY DATA SHEET

P-Screen - Marine Musk [EU Variant]

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	P-Screen - Marine Musk [EU Variant]
Product number	P-SCREEN MARINE
Internal identification	VA-21-116-EU-D
UFI	UFI: 14Q0-W0RW-V00Q-QJA3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Urinal Screen
Uses advised against	Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier	Vectair Systems Ltd Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK +44 1256 319500 emea.info@vectairsystems.com
Contact person	Product development

1.4. Emergency telephone number

Emergency telephone	Vectair Systems Ltd +44 1256 319500 (Office Hours 09:00am to 17:00pm)
National emergency telephone number	[UK] 111 NHS Direct (England/Wales 0845 46 47; NHS 24 Scotland 08454 24 24 24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 3 - H412

Classification in accordance
with Directive 1907/2006/EEC

2.2. Label elements

Hazard pictograms



P-Screen - Marine Musk [EU Variant]

Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts, Pin-2(10)-ene, Alpha-Pinenes, citral, Terpinolene, 4-tert-butylcyclohexyl acetate, Citrus limon (L.) Burm. F., Pine oil, Hexyl cinnamal, Linalool, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, alpha-Amylcinnamaldehyde, Coumarin, Citronellol, Benzyl salicylate, alpha-iso-Methylionone, l-p-mentha-1(6),8-dien-2-one, Undecylenic Aldehyde

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ethylene vinyl acetate copolymer	30-60%
CAS number: 24937-78-8	EC number: 607-457-0
Sodium Chloride	10-30%
CAS number: 7647-14-5	EC number: 231-598-3
Polypropylene (PP)	5-10%
CAS number: 9003-07-0	EC number: 618-352-4
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	5-10%
CAS number: 68411-30-3	EC number: 270-115-0
Alpha-Pinenes	1-2.5%
CAS number: 80-56-8	EC number: 201-291-9
Pin-2(10)-ene	1-2.5%
CAS number: 127-91-3	EC number: 204-872-5
dipropylene glycol methyl ether acetate	1-2.5%
CAS number: 88917-22-0	EC number: 618-219-0
Terpinolene	0.25-1%
CAS number: 586-62-9	EC number: 209-578-0

P-Screen - Marine Musk [EU Variant]

Glycerin		0.25-1%
CAS number: 56-81-5	EC number: 200-289-5	
4-tert-butylcyclohexyl acetate		0.25-1%
CAS number: 32210-23-4	EC number: 250-954-9	
citral		0.25-1%
CAS number: 5392-40-5	EC number: 226-394-6	REACH registration number: 01-2119462829-23-XXXX
Cocamide MEA		0.25-1%
CAS number: 68140-00-1	EC number: 268-770-2	REACH registration number: 01-2119533092-50-0000
Distillates (petroleum), hydrotreated light		0.25-1%
CAS number: 64742-47-8	EC number: 265-149-8	
Pine oil		0.25-1%
CAS number: 8002-09-3	EC number: 692-006-0	
Citrus limon (L.) Burm. F.		0.25-1%
CAS number: 68917-33-9	EC number: 614-796-8	
Hexyl cinnamal		0.25-1%
CAS number: 101-86-0	EC number: 202-983-3	REACH registration number: 01-2119533092-50-XXXX
Linalool		0.25-1%
CAS number: 78-70-6	EC number: 201-134-4	REACH registration number: 01-2119474016-42-XXXX
2-Phenylethanol		0.25-1%
CAS number: 60-12-8	EC number: 200-456-2	
stearic acid, pure		0.25-1%
CAS number: 57-11-4	EC number: 200-313-4	REACH registration number: 01-2119533092-50-0000
Orange Terpenes		0.25-1%
CAS number: 68647-72-3	EC number: 614-678-6	
a,a-dimethylphenethyl acetate		0.25-1%
CAS number: 151-05-3	EC number: 205-781-3	

P-Screen - Marine Musk [EU Variant]

A mixture of: cis-tetrahydro-2-isobutyl-4- methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4- methylpyran-4-ol	0.25-1%
CAS number: 63500-71-0 EC number: 613-238-0	
Citric Acid	0.25-1%
CAS number: 77-92-9 EC number: 201-069-1	
alpha-Amylcinnamaldehyde	0.25-1%
CAS number: 122-40-7 EC number: 204-541-5	
Diphenyl ether	0.25-1%
CAS number: 101-84-8 EC number: 202-981-2	
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	0.25-1%
CAS number: 103-95-7 EC number: 203-161-7	
Citronellol	<0.25%
CAS number: 106-22-9 EC number: 203-375-0	
4'-methylacetophenone	<0.25%
CAS number: 122-00-9	
p-methoxybenzaldehyde	<0.25%
CAS number: 123-11-5 EC number: 204-602-6	
l-p-mentha-1(6),8-dien-2-one	<0.25%
CAS number: 6485-40-1 EC number: 229-352-5	
benzyl benzoate	<0.25%
CAS number: 120-51-4 EC number: 204-402-9	
alpha-iso-Methylionone	<0.25%
CAS number: 127-51-5 EC number: 204-846-3	
Coumarin	<0.25%
CAS number: 91-64-5 EC number: 202-086-7	
Benzyl salicylate	<0.25%
CAS number: 118-58-1 EC number: 204-262-9	
2'-Acetonaphtone	<0.25%
CAS number: 93-08-3 EC number: 202-216-2	

P-Screen - Marine Musk [EU Variant]

Pentyl salicylate	<0.25%
CAS number: 2050-08-0	EC number: 218-080-2

Undecylenic Aldehyde	<0.25%
CAS number: 112-45-8	EC number: 203-973-1

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	None known.
-------------------------	-------------

P-Screen - Marine Musk [EU Variant]

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances:
Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class

Miscellaneous hazardous material storage.

7.3. Specific end use(s)

P-Screen - Marine Musk [EU Variant]

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Glycerin

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist
WEL = Workplace Exposure Limit.

Ingredient

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

May cause skin sensitisation or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Colour	Blue.
Odour	Characteristic.
Odour threshold	Not determined.

P-Screen - Marine Musk [EU Variant]

pH	Not determined.
Melting point	Undetermined.
Initial boiling point and range	>100 °C
Flash point	>100 °C
Evaporation rate	Not determined.
Evaporation factor	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not available.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	Not available.
Solubility(ies)	Not miscible or difficult to mix.
Partition coefficient	Not determined.
Auto-ignition temperature	Product is not self igniting.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Product does not present an explosion hazard.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not available.

9.2. Other information

Organic solvents

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
---	---

10.4. Conditions to avoid

Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
----------------------------	---

10.5. Incompatible materials

P-Screen - Marine Musk [EU Variant]

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 6,329.11

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Eye Dam. 1 - H318 Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause skin sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

P-Screen - Marine Musk [EU Variant]

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

P-Screen - Marine Musk [EU Variant]

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008

Eye Dam. 1 - H318: Skin Irrit. 2 - H315: Skin Sens. 1 - H317: : Calculation method. Aquatic
Chronic 3 - H412: : Calculation method.

P-Screen - Marine Musk [EU Variant]

Training advice	Only trained personnel should use this material.
Revision comments	Revised formulation.
Issued by	Compliance Lead
Revision date	08/09/2021
Revision	4
Supersedes date	27/01/2020
SDS number	5502
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.